



## AC750 Dual Band Wireless Gigabit Router, Dual WAN, VPN

WGR-2301 Dual-band Business Wi-Fi Gigabit Router is a purpose-built solution designed for SOHO enterprises, offices, restaurants and coffee shops. WGR-2301 adopts 580MHz CPU and equips 3 fixed 7dBi omni-antennas. It supports 802.11ac WiFi standard and is compatible with 802.11a/b/g/n. Moreover, it works on 2.4GHz band and 5 GHz band, minimizing interference among wireless networks. It supports MIMO technology, which enables its wireless transmission rate up to 750Mbps. With a self-developed operating system, WGR-2301 supports CCA, extended for clear channel assessment, which can automatically adjust channels to avoid signal interference. It supports WDS to extend the coverage of wireless network. It supports smart QoS, which automatically allocates reasonable bandwidth for wireless stations, making sure users can download movies and play video games at the same time. It also supports files sharing by one USB port. WGR-2301 also offers an interface with Business WiFi System, which can be configured online and offer a user-defined captive portal when WiFi users joining the WLANs.

### Key Features

- Compatible with IEEE 802.11a/b/g/n/ac wireless standards
- IPSec/PPTP VPN connection
- VPN pass-through for L2TP, PPTP and IPSec
- Up to 4 ports can be configured as WAN ports at a time, featuring load balancing and connection auto-failover functions
- Built-in robust firewall to protect Internet access against intruders
- QoS control for traffic prioritization and bandwidth management
- Private cloud function via external storage for sharing files, videos and music
- Layer 7 (application layer) filtering based on URL and keywords
- WMM (Wi-Fi Multimedia) function

### Specifications

#### System Specifications

##### Standards & Protocols:

IEEE 802.3 10-BASE-T, Ethernet  
IEEE 802.3u 100-BASE-TX, Fast Ethernet  
IEEE 802.11e Wi-Fi Multimedia (WMM)  
IEEE 802.3x Ethernet Flow Control  
IEEE 802.11i Wi-Fi Protected Access (WPA2)  
IEEE 802.11a, 802.11b, 802.11g, 802.11n, 802.11ac Wireless Networking

**Memory:**

128M

**Connectors and Cabling:**

5x 100/1000Mbps Ethernet Port (WAN/LAN)

Micro SD SDHC/TF card slot

**Button:**

Turbo button

Reset button

**Indicator:**

2.4G WLAN?5G WALN?SYS

**Power:**

DC 12V 2A

## Wireless

**Operating Mode:**

AP Mode

WDS Hybrid

**Encryption:**

WEP 64/128-bit Web share key encryption

WPA, WPA2 128-bit TKIP/AES encryption

WPA, WPA2-PSK TKIP/AES encryption

**Receive Sensitivity(dBm):**

802.11n (20MHZ): Range (-72 ~ -87) dBm

802.11n (40MHZ): Range (-68 ~ -87) dBm

802.11g: Range (-72 ~ -91) dBm Error Rate = 10% at room temperature.

802.11b: Range (-89 ~ -91) dBm Error Rate = 8% at room temperature.

**Channel:**

Ch.1 ~ 11 USA

Ch.1 ~ 13 EU

Ch.36~165 Country

**EIRP(dBm):**

(Controllable for different country regulations)

802.11n: up to 20dBm ± 1dBm

802.11g: up to 23dBm ± 1dBm

802.11b: up to 26dBm ± 1dBm

**Antenna:**

3\*7dBi

**Frequency Band (GHz):**

2.4GHz-2.483GHz

5.15GHz-5.85GHz

**Data Transfer Rate:**

802.11ac: 450~130Mbps

802.11n: 300 ~ 78 Mbps

802.11g: 54 ~ 6 Mbps

802.11b: 11 ~ 1 Mbps

802.11a:54~1.5Mbps

## Features

**Security:**

SSID Broadcast On/Off

Management:  
Web-Based GUI Configuration

## Performance

Concurrent NAT Session:  
30000

Data Transfer Rate:  
Wired : Gigabit  
Wireless: 750Mbps ( 11ac + 11n)

Storage Capacity:  
32GB (TF card)

Packet Forwarding Rate:  
30Kpps

## Environment

Temperature (°C):  
Operating:0°~40°C?  
Storage:-10°~70°C

Humidity (Non-condensing):  
Storage:0°~95°  
Operating:10°~490°C?

Deployment:  
desktop

## Physical Specifications

Dimensions (W x D x H mm):  
284\*179\*45mm

Weight (g):  
2000g

---

## Order Information

WGR-2301

---

## Package Contents

WGR-2301  
Quick Installation Guide  
Resource CD (User Manual, QIG)  
Antenna (x3)  
Power Adapter

No liability or responsibility for any errors or omissions in the content.  
Specifications are subject to change without notice.  
All mentioned brand names are registered trademarks and property of their owners.  
Copyright © Digital Data Communications GmbH, Germany. All Rights Reserved.