




SC-9079-3GP

3G Fixed Wireless Phone with single SIM



Highlights:

- Bluetooth headset compatible (**optional**);
- WIFI router built-in (**Model SC-9079-3GW only**)
- FXS port for extension phone (**optional**)
- programmable keys
- Call recording in T-Flash card;
- internet connection (**WCDMA**)

Features:

- GSM / WCDMA mobile network
- Supports high-quality voice service
- Handset with microphone hearing aid compatible
- LED indicator: Low battery warning / Voicemail message warning LED /
- Call management: Answer/Make/Reject/end calls/Call transfer/Call hold
- Call history /Multi-conference and three-way calling

Speed dial keys
Customized ringtones
Supports emergency calls
Explicit Call Transfer through keys and menu
Caller number identification presentation
Hands free
Mute key
Phonebook synchronization: from SIM to device
Phonebook synchronization: from device to SIM
Universal compatible standard headset (with microphone) port
Easy switch between Headset, handset and speakerphone
Programmable keys
Pre configured keys (call hold, call transfer, multi conference)
SMS management
Date option in display
Time-clock option in display
Alarm
Calculator
Dual tone multi-frequency (DTMF) secondary dialing
Volume settings
Customized volume settings (classical ring options)
Voice mail: on/off options through menu and keys (operator codes)
In built and Extra antenna auto switchable

Optional:

Call recording (with Micro SD)
Bluetooth headset support
Voice Save and Calendar
Internet connection

Specifications

Cellular Frequency
WCDMA 900//2100 MHZ,
Option 850/1900Mhz;
Quad-band EGSM 850/900/1800/1900 MHZ

Cellular Data rate

UMTS : 7.2 Mbps DL / 384 Kbps UL
EDGE : 236.8 Kbps / 236.8 Kbps
GPRS : 85.6 Kbps / 85.6 Kbps

Port Interfaces

micro USB port for power and programming

-SMA socket

1 SIM card slot

SD Card Socket

Micro SD card socket

Headphone Connection: Wireless Bluetooth or 3.5mm audio port

Antenna

1 Cellular (detachable)

1 BT

LED Indicator

Charging /Voice mail

LCD

128*64 pix resolution

Dimensions: 230*180*125 (mm)

Battery

Battery: 1500mAh Li-poly

Talk Time: 4 - 5hrs

Standby Time: 140 -160hrs

Charge Time: 2.5 - 3.5 hrs

Power Adapter:

Input: AC 100~240V,50/60Hz ,

Output: DC.5V1A

Size

Dimensions: 210 mm × 170 mm × 45 m

Weight: 680g

SunComm Technology Co., Ltd.

14F-8, No. 2, Jian-ba Rd., Zhong-he Dist., New Taipei City, Taiwan 23511 www.suncomm.com.tw

www.3GFixedWirelessTerminal.com

China: Tangxia, Dong Guan, Guan Dong Province, China www.suncomm.com.cn

sales2@suncomm.com.tw